

ULTRA
SERIES



PRICE LIST 2023

ALPHA

INDEX

TITLE	PAGE
ALPHA PS05 MACHINES	03
ALPHA PS06 MACHINES	04
SAW CARRIAGE/HOLDER UNIT OPTIONS	05
LIFT/FLOATING UNIT OPTIONS	06
WARRANTY/INSTALLATION/PACKAGING OPTIONS	07
SOFTWARE OPTIONS	08
OTHER ACCESSORIES	12
TOOL KITS OPTIONS	13

3300



- **Working Dimensions 3300 x 3300 mm**
- Cuttin Depth 90mm - Projection 105mm (18mm*5PCS)
- 18kW I 24 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 430mm
- Max. Scoring Blade Diameter 200mm
- 8 Pcs Holder Quantity
- Air Floating Table (3 Pcs) - 1 Fixed, 2 Movable

3900



- **Working Dimensions 3900 x 3900 mm**
- Cuttin Depth 90mm - Projection 105mm (18mm*5PCS)
- 18kW I 24 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 430mm
- Max. Scoring Blade Diameter 200mm
- 8 Pcs Holder Quantity
- Air Floating Table (3 Pcs) - 1 Fixed, 2 Movable

4300



- **Working Dimensions 4300 x 4300 mm**
- Cuttin Depth 90mm - Projection 105mm (18mm*5PCS)
- 18kW I 24 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 430mm
- Max. Scoring Blade Diameter 200mm
- 8 Pcs Holder Quantity
- Air Floating Table (4 Pcs) - 1 Fixed, 3 Movable

3300




- **Working Dimensions 3300 x 3300 mm**
- Cuttin Depth 110mm - Projection 125mm (18mm*6PCS)
- 27kW I 36 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 460mm
- Max. Scoring Blade Diameter 200mm
- 10 Pcs Holder Quantity
- Air Floating Table (3 Pcs) - 1 Fixed, 2 Movable

3900




- **Working Dimensions 3900 x 3900 mm**
- Cuttin Depth 110mm - Projection 125mm (18mm*6PCS)
- 27kW I 36 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 460mm
- Max. Scoring Blade Diameter 200mm
- 10 Pcs Holder Quantity
- Air Floating Table (3 Pcs) - 1 Fixed, 2 Movable

4300



- **Working Dimensions 4300 x 4300 mm**
- Cuttin Depth 110mm - Projection 125mm (18mm*6PCS)
- 27kW I 36 HP Main Saw Motor
- 3kW I 4 HP Scoring Saw Motor
- Servo Controlled Saw Carriage Up/Down Movement
- 80m/min Pusher Bridge Working Speed
- 90m/min Saw Carriage Cutting Speed
- Max. Cutting Blade Diameter 460mm
- Max. Scoring Blade Diameter 200mm
- 10 Pcs Holder Quantity
- Air Floating Table (4 Pcs) - 1 Fixed, 3 Movable




SAW CARRIAGE/HOLDER UNIT

OPP101001

Alpha PS05 18kW Saw Carriage Motor

STD.




18kw (24 HP) main saw motor, 3kW (4 HP) scoring saw motor, 430mm saw blade diameter, **servo controlled** up/down movement, easy and quick saw change system.

*This option is standard for Alpha PS05 model machines.

OPP101002

Alpha PS06 27kW Saw Carriage Motor

STD.




27kw (36 HP) main saw motor, 3kW (4 HP) scoring saw motor, 460mm saw blade diameter, **servo controlled** up/down movement, easy and quick saw change system.

*This option is standard for Alpha PS06 model machines.

OPP101100

Alpha PS05/06 Additional Holder

685 €




Holders are using to grip the material, in addition to standard holders you may add additional ones. Machine can be added max. 12pcs holder in total.

OPP101450

Barcode Printer Unit

1.890 €



Industrial barcode printer can help you to print your labels. Easy creation labels can be printed from the control panel as single or group pieces. System has connection with OPTICUT panel optimization program.

OPP101300

Label X Automati Labelling System - 3300mm

19.110 €

OPP101301

Label X Automati Labelling System - 3900mm


19.845 €

OPP101302

Label X Automati Labelling System - 4300mm

20.475 €

*Label X Automatic Labelling System options are available only with Alpha PS06 model and requires to add 2nd Pusher Bridge Options.




LIFT & FLOATING TABLE OPTIONS

OPP101200

Lift Unit - 3300mm

13.230 €



2200x3300mm dimensions, 500mm loading capacity

OPP101201

Lift Unit - 3900mm

15.545 €

2200x3900mm dimensions, 500mm loading capacity

OPP101202

Lift Unit - 4300mm


16.000 €

2200x4300mm dimensions, 500mm loading capacity

OPP101203

Lift Unit - Front Loading

8.925 €



2100x2800mm dimensions, 500mm loading capacity

OPP101300

Additional Air Floating Table

1.420 €

700x2185mm dimensions, rollers for easy loading

OPP101150

2nd Pusher Bridge - 3300mm

17.640 €

This unit is working with lift unit, during machine working the unit prepares materials for second processing operation. Unit can be used also automatic labelling option.

*This option available only with Alpha PS06 3300 model.

OPP101151

2nd Pusher Bridge - 3900mm

18.270 €

This unit is working with lift unit, during machine working the unit prepares materials for second processing operation. Unit can be used also automatic labelling option.

*This option available only with Alpha PS06 3900 model.


OPP101152

2nd Pusher Bridge - 4300mm

19.110 €

This unit is working with lift unit, during machine working the unit prepares materials for second processing operation. Unit can be used also automatic labelling option.

*This option available only with Alpha PS06 4300 model.



WARRANTY & PACKAGING OPTIONS

OPA0604

Warranty Option +1 Year

+%5

This option extends warranty period +1 year.

OPA0012

Installation, Training and Commissioning

500 €/D

Installation, Training and Commissioning of the machine is carried out by AES Group authorized personnel or by third parties authorized by AES Group. Installation is provided by expert technicians, including all necessary steps.

OPP101900

Alpha PS05/06(3300) – Seaway Packaging

1.350 €

The unit is the transport platform required for loading the machine into the container.

OPP101901

Alpha PS05/06(3900) – Seaway Packaging

1.600 €

The unit is the transport platform required for loading the machine into the container.

OPP101902

Alpha PS05/06(4300) – Seaway Packaging

1.750 €

The unit is the transport platform required for loading the machine into the container.

OPP101920

Alpha PS05/06(3300) – Truck Packaging

450 €

The unit is the transport platform required for loading the machine into the container.

OPP101921

Alpha PS05/06(3900) – Truck Packaging

450 €

The unit is the transport platform required for loading the machine into the truck.

OPP101922

Alpha PS05/06(4300) – Truck Packaging

450 €

The unit is the transport platform required for loading the machine into the truck.



SOFTWARE OPTIONS

OPA0018	OPTICUT Panel Optimization Program	2.310 €
	Opticut panel optimization program is one of the programs that can perform panel optimization in the best way for the woodworking industry.	
OPA0030	ARDIS Panel Optimization Program	2.310 €
	Ardis is panel optimization program for woodworking industry and one of the best options to make panel optimization.	
OPA0025	Cabinet Vision Labelling Package(CNC Routers)	8.535 €
	Cabinet Vision Core Cabinets	3.060 €
	Cabinet Vision Core Cabinet xMachining Module (S2M Center)	2.470 €
	Cabinet Vision Core Cabinet xMachining Module Labelling Package	1.770 €
	Cabinet Vision Core Cabinet xMachining Module Beam Saw Package	1.235 €
OPA0036	CV Core Cabinets	3.060 €
	Cabinet Vision Core Cabinets is a design and production software that allows you to design your kitchen cabinet or cabinet modules in detail. Core Cabinets automatically creates project drawings, 3D renderings, material requirements, cut lists and forecast data. Sketch your project graphically, complete your drawings and quickly analyze your costs. Prepare or change your designs in a short time thanks to its parametric structure. Save your designs in your library.	
OPA0037	CV Core Closets	2.530 €
	CaCabinet Vision Core Closets is a design and production software that allows you to design your kitchen cabinet or cabinet modules in detail. Core Closets automatically creates project drawings, 3D renderings, material requirements, cut lists and forecast data. Sketch your project graphically, complete your drawings and quickly analyze your costs. Prepare or change your designs in a short time thanks to its parametric structure. Save your designs in your library. structure. Save your designs in your library.	
OPA0038	CV Core xCAD Module	1.765 €
	Cabinet Vision x2D CAD module is a module used for 2D CAD submission and shop drawings for architectural solutions. The x2D CAD module has a streamlined structure to send annotated drawings to architects or related subcontractors for design purposes. x2D CAD offers additional tools and services that can automatically receive updates from the live drawing.	
OPA0039	CV Core xCAD Module Plugs in Package	530 €
	Cabinet Vision Core Closets is a design and production software that The plug-ins package is a customized software package for commercial manufacturers to more easily solve delivery drawing difficulties. With this plug-in, more detailed optimizations can be performed with less data entry. It also allows you to make smart object and assembly optimization in cabinet production without the need for advanced settings via Cabinet Vision. The plug-in works as an add-on package for the x2D CAD module. It works together with this module.	



SOFTWARE OPTIONS

OPA0040

CV Core xBidding Module

1.235 €

Cabinet Vision xBidding Module allows you to make detailed offer analysis at costing and bidding stages. With the help of the module, project costing is done in the most accurate way, and full control over costs is achieved with profitability analysis. A full cost analysis can be made with labor, material and additional expense definitions. It works with automatic corrections instead of getting costs from scratch in project changes with smart pricing methods. The module is offered as an advanced and customized version of the standard bidding feature in the Core package.

OPA0041

CV Core xBidding Module Catalog Editor Package

530 €

The plug-in allows CV users to create their own custom modular catalog. Pre-defined settings can be transferred in the modular catalog. It allows the creation of a distributable catalog by transferring details such as materials, plans, cabinets and drawers, profiles, connection methods and part pricing in the catalog. It protects your design data by preventing the created catalog from being changed and copied after distribution. This package works as a plug-in to the bidding module.

OPA0042

CV Core xBench Module

1.235 €

With the help of the module, bench production can also be carried out as an uninterrupted production integrated with cabinet and kitchen production. The module works fully integrated with the CV Core structure, allowing you to create projects in full compliance with the connection structure used in cabinets and drawers. The machine module calculates the cut lists for the machines, automatically updates the settings required to transfer design changes to production, and makes it easy to apply pull bolt, alignment holes and other operations on the machine. Provides general control over the cost of all structures.

OPA0043

CV Core xCRM Module

1.235 €

It is a customer relations module where xCRM Cabinet Vision can manage customer, dealer and supplier relations. The module allows easy management of projects according to customers by creating customer lists. The module creates a central management system by matching the project with the customer. It has an easy-to-use and understandable interface for timely and complete delivery of projects.

OPA0044

CV Core xOptimization Module

705 €

The xOptimization module allows you to make optimum use of material by automatically optimizing panel sizing machines. The system also allows manual cutting optimization. CV integration and saw attachment allow cutting lists to be sent directly to the panel sizing machine as a work list. The module plotter can also be sent manually to the lying circle.



SOFTWARE OPTIONS

OPA0045

CV Core xRender Module

705 €

The xRender module is an additional module of the CV Core system used to prepare high-level presentations for customers by preparing realistic renderings. Thanks to the latest technology, it allows you to prepare renders that you can present to your customers within minutes. With realistic renderings, the finished project can be viewed in the most accurate way.

OPA0046

CV Core xRender Module Tour Package

530 €

With this feature, which is an additional package of the CV Core + Rendermodule, the real-time rendered project can be navigated to make a presentation to the customer. Project details can be shown to the client as real-time rendering.

OPA0047

CV Core xReporting Module

1.770 €

xReporting section allows you to get detailed reports for your projects with more than 150 ready-made reporting systems and customizable reporting editor. Thanks to the module, it can get reports on different parameters with a single click. Working integrated with Cabinet Vision, the module automatically tracks updates and allows instant reporting.

OPA0048

CV Core xShaping Module

1.770 €

xShaping module is used to design special shaped cuts such as corner cuts, notch trimming, finger notch etc. Not all parts in designs include straight cuts, in some cases it requires angled cuts to have irregular shapes in the design. The module allows to easily design these shapes parametrically. The module also provides easy access to the CAM editor to add workpieces such as plumbing holes etc.

OPA0049

CV Core xMachining(S2M) Module

2.470 €

xMachining module is a CAM module that allows designs to be converted into G codes and prepared for machining. It enables integrated production by sending a single design to different types of machines. It is a very advanced and flexible software that can prepare cutting data in a wide range of frames such as Module CNC Machining Center, CNC Router, CNC Drilling Machine, edge banding machine, beam saw machines, plotter and manual drilling machine. The module brings advanced features such as custom tool path assignment, tool path optimization.

OPA0050

CV Core xMachining(S2M) Module 3rd Party CAD Package

1.235 €

The package is an additional package of the xMachining module that enables cutting lists from 3rd party CAD software and DXF files. It is used in cases where data transfer from a different program is required in designs.

OPA0051

CV Core xMachining(S2M) Module 3rd Party CAM Package

1.235 €

The package is an additional package of the xMachining module that allows to output the cut list as DXF file for use in 3rd party CAM software. It is used in cases where data transfer to different programs is required in designs.



SOFTWARE OPTIONS

OPA0052	CV Core xMachining(S2M) Module Sliding Table Package	1.235 €
Package is an additional package of the xMachining module used to create cutting lists for sliding table and other types of machines used for manual cutting.		
OPA0053	CV Core xMachining(S2M) Module Drill and Dowel Package	3.530 €
Package is an additional package of the xMachining module for creating cut lists on manual drilling machine and dowel machines.		
OPA0054	CV Core xMachining(S2M) Module Labelling Package	1.770 €
Package is the subpackage of the xMachining module used to print labels. Label IT technology allows the CNC operator to produce labels for parts on the program and print them with the help of a screen and printer. This program offers an ideal solution for nesting-based production.		
OPA0055	CV Core xMachining(S2M) Module Material Handling Package	3.530 €
xPackage is a sub-package that provides the data flow required for the xMachining module to work integrated with automatic storage systems. It provides integration in the processing of the material from the storage system.		
OPA0056	CV Core xMachining(S2M) Module PTP and Boring Mac.Pack.	1.235 €
xMachining module is a CAM module that allows designs to be Package is a sub-package of the xMachining module used to generate cutting data for Point to Point(Console Table) machines and Boring machines.		
OPA0057	CV Core xMachining(S2M) Module CNC Router Package	1.235 €
Package is a sub-package of the xMachining module used to generate cutting data for CNC Routers.		
OPA0058	CV Core xMachining(S2M) Module Beam Saw Package	1.235 €
Package is a sub-package of the xMachining module used to generate cutting data for Beam Saw machines.		
OPA0059	CV Core xMachining(S2M) Module Parts List Export Package	1.235 €
Package is a subpackage for the xMachining module to output as a cut file, custom cut file or PNL.		
OPA0060	CV Core xMachining(S2M) Module Simulation Package	705 €
Package is a sub module of the xMachining module that shows the cutting simulation of the parts to be cut. With the simulation feature, you can see the errors and minimize the time and material losses.		
OPA0061	CV Core xMachining(S2M) Module Special Machine Package	1.235 €
Package is a sub-package of the xMachining module used to generate cutting data for special machines. es.		



OTHER ACCESSORIES

OPA0500

30kva UPS Unit

4.640 €



30kva UPS power, auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m

OPA0501

40kva UPS Unit

5.870 €

40kva UPS power, auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m

OPA0502

60kva UPS Unit

11.260 €

60kva UPS power, auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m

OPA0503

80kva UPS Unit

13.230 €

80kva UPS power, auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m

OPA0521

30kva Regulator Unit

1.385 €



30kva servo regulator, output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC

OPA0522

45kva Regulator Unit

1.850 €

45kva servo regulator, output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC

OPA0523

60kva Regulator Unit

2.470 €

60kva servo regulator, output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC

OPA0526

80kva Regulator Unit

3.280 €

80kva servo regulator, output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC



OTHER ACCESSORIES

OPA0508	30kva Transformer (380-220VAC)	655 €
30kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0509	30kva Transformer (380-400/415VAC)	680 €
30kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type.		
OPA0510	30kva Multitap Transformer (Multitap)	2.570 €
30kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0511	40kva Transformer (380-220VAC)	710 €
40kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0512	40kva Transformer (380-400/415VAC)	710 €
40kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0513	40kva Multitap Transformer (380-208/230/480VAC)	2.785 €
40kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0514	50kva Transformer (380-220VAC)	790 €
50kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0515	50kva Transformer (380-400/415VAC)	815 €
50kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0516	50kva Multitap Transformer (380-208/230/480VAC)	3.010 €
50kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0517	60kva Transformer (380-220VAC)	920 €
60kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0518	60kva Transformer (380-400/415VAC)	970 €
60kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0519	60kva Multitap Transformer (380-208/230/480VAC)	3.675 €
60kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		



OTHER ACCESSORIES

OPA0503

Air Compressor + Dryer (500m³/h)

3.255 €




500m³/h air compressor with dryer, 5,5kW I 7.5 HP motor power.

OPP101800

Electrical Panel Cooling Unit

2.060 €

Electric Panel cooling unit is used to balance the temperature in the machine electrical panel. With the help of the unit, the temperature inside the panel is kept stable and the machine works longer and more efficiently. The unit works with a capacity of 850W



TOOL KITS & COLLETS & HOLDERS

Cutting and Scoring Saw Kits

163427	HM:430x4, 4x30; Z72; TR/TR(ø430)– Cutting Saw Blade	1 pcs	290 €
69126	HM:460x4, 4x30; Z72; TR/TR(ø460)– Cutting Saw Blade	1 pcs	315 €
470032794	HM:200x4,3x20 ; Z30 ; KOZ/WZ– Scoring Saw Blade	1 pcs	150 €