



PRICE LIST 2023



www.aesgroup.com.tr



TITLE	PAGE
STANDARD POD&RAIL MACHINES	03
evo series pod&rail machines	04
4 AXIS POD&RAIL MACHINES	05
1600 SERIES POD&RAIL MACHINES	06
SPINDLE MOTOR OPTIONS	07
C AXIS & AGGREGATE OPTIONS	08
BORING UNIT OPTIONS	09
MAGAZINE UNIT OPTIONS	10
VACUUM SYSTEM OPTIONS	11
HAND CONTROL/READER OPTIONS	16
CONVEYOR UNIT OPTIONS	17
WARRANTY/PACKAGING/INSTALLATION OPTIONS	18
SOFTWARE OPTIONS	19
SAFETY SYSTEM OPTIONS	27
OTHER ACCESSORIES OPTIONS	31



VEGA ULTRA 1325 01-10-2-120-1325

- Working Dimensions 1300 x 2500 mm / Z Axis Stroke 300 mm
- Single Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Vacuum Console 50mm Single Piston (4 Pcs) / 2 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x50mm (8 Pcs) / 125x75x50mm (4 Pcs)
- Weight (Approx.) 3.500 kg

VEGA ULTRA 1332 01-10-2-120-1332

- Working Dimensions 1300 x 3200 mm / Z Axis Stroke 300 mm
- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Vacuum Console 50mm Single Piston (6 Pcs) / 4 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x50mm (12 Pcs) / 125x75x50mm (6 Pcs)
- Weight (Approx.) 3.700 kg

VEGA ULTRA 1345 01-10-2-120-1345

Working Dimensions 1300 x 4500 mm / Z Axis Stroke 300 mm

- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Vacuum Console 50mm Single Piston (8 Pcs) / 4 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x50mm (16 Pcs) / 125x75x50mm (8 Pcs)
- Weight (Approx.) 5.000 kg

VEGA ULTRA 1360 01-02-120-1360 101.250 € Image: Strain Strai



03

80.250 €

89.750 €

VEGA ULTRA EVO 1325 01-10-2-121-1325

- Working Dimensions 1300 x 2500 mm / Z Axis Stroke 300 mm
- Single Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 Kw I 12HP HSK F 63 HSD Spindle Motor I 5,5kW Side Milling Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (4 Pcs) / 2 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x85mm (8 Pcs) / 125x75x85mm (4 Pcs)
- Weight (Approx.) 3.650 kg

VEGA ULTRA EVO 1332 01-10-2-121-1332

- Working Dimensions 1300 x 3200 mm / Z Axis Stroke 300 mm
- Double Working Area
 - Automatic Lubrication System / Automatic Tool Offset
 - Working Speeds X/Y: 100m/min Z:20m/min
 - 9 Kw I 12HP HSK F 63 HSD Spindle Motor 1 5,5kW Side Milling Motor
 - HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
 - Linear Tool Changer Unit (14 Tool Capacity)
 - Alphacam Core + xPositional (One Post)
 - 100m³/h Becker Vacuum Pump
 - Vacuum Console 85mm Single Piston (6 Pcs) / 4 Pcs with Lift 2 Pcs without Lift
 - Vacuum Blocs 140x115x85mm (12 Pcs) / 125x75x85mm (6 Pcs)
 - Weight (Approx.) 3.850 kg

01-10-2-121-1345

Working Dimensions 1300 x 4500 mm / Z Axis Stroke 300 mm

- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 Kw I 12HP HSK F 63 HSD Spindle Motor I 5,5kW Side Milling Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (8 Pcs) / 4 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x85mm (16 Pcs) / 125x75x85mm (8 Pcs)
- Weight (Approx.) 5.150 kg

VEGA ULTRA EVO 1360 01-10-2-121-1360

- Working Dimensions 1300 x 6000 mm / Z Axis Stroke 300 mm
- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 Kw I 12HP HSK F 63 HSD Spindle Motor I 5,5kW Side Milling Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (10 Pcs) / 6 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x85mm (20 Pcs) / 125x75x85mm (10 Pcs)
- Weight (Approx.) 7.350 kg



110.970 €



83.760 €

98.820 €

VEGA ULTRA EVO 1345

VEGA ULTRA 4X 1325 01-10-2-120-1325



- Working Dimensions 1300 x 2500 mm / Z Axis Stroke 300 mm
- Single Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor I HSD C Axis Unit I HSD Angular Aggregate
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
 100m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (4 Pcs) / 2 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x85mm (8 Pcs) / 125x75x85mm (4 Pcs)
- Weight (Approx.) 3.650 kg

VEGA ULTRA 4X 1332 01-10-2-120-1332

92.835 €



- Working Dimensions 1300 x 3200 mm / Z Axis Stroke 300 mm
- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor I HSD C Axis Unit I HSD Angular Aggregate
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (6 Pcs) / 4 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x85mm (12 Pcs) / 125x75x85mm (6 Pcs)
- Weight (Approx.) 3.850 kg

VEGA ULTRA 4X 1345 01-10-2-120-1345

102.335 €

- Working Dimensions 1300 x 4500 mm / Z Axis Stroke 300 mm
- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW | 12HP HSK F 63 HSD Spindle Motor | HSD C Axis Unit | HSD Angular Aggregate
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (8 Pcs) / 4 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x85mm (16 Pcs) / 125x75x85mm (8 Pcs)
- Weight (Approx.) 5.150 kg

VEGA ULTRA 4X 1360 01-10-2-120-1360

- Working Dimensions 1300 x 6000 mm / Z Axis Stroke 300 mm
- Double Working Area
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor I HSD C Axis Unit I HSD Angular Aggregate
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Vacuum Console 85mm Single Piston (10 Pcs) / 6 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x85mm (20 Pcs) / 125x75x85mm (10 Pcs)
- Weight (Approx.) 7.350 kg



113.835 €

VEGA ULTRA 1625 01-10-2-122-1625



- Working Dimensions 1550 x 2500 mm / Z Axis Stroke 300 mm
- 2 Working Areas
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Pro Vacuum Console 100mm Double Piston (4 Pcs) / 2 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x100mm (8 Pcs) / 125x75x100mm (4 Pcs)
- Weight (Approx.) 3.550 kg

VEGA ULTRA 1632 01-10-2-122-1632

88.430 €



- Working Dimensions 1550 x 3200 mm / Z Axis Stroke 300 mm
- 4 Working Areas
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 100m³/h Becker Vacuum Pump
- Pro Vacuum Console 100mm Double Piston (6 Pcs) / 4 Pcs with Lift 2 Pcs without Lift
- Vacuum Blocs 140x115x100mm (12 Pcs) / 125x75x100mm (6 Pcs)
- Weight (Approx.) 3.750 kg

VEGA ULTRA 1645 01-10-2-122-1645

99.<u>870 €</u>



- Working Dimensions 1550 x 4500 mm / Z Axis Stroke 300 mm
- 4 Working Areas
- Automatic Lubrication System / Automatic Tool Offset
- Working Speeds X/Y: 100m/min Z:20m/min
- 9 kW I 12HP HSK F 63 HSD Spindle Motor
- HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
- Linear Tool Changer Unit (14 Tool Capacity)
- Alphacam Core + xPositional (One Post)
- 140m³/h Becker Vacuum Pump
- Pro Vacuum Console 100mm Double Piston (8 Pcs) / 4 Pcs with Lift 4 Pcs without Lift
- Vacuum Blocs 140x115x100mm (16 Pcs) / 125x75x100mm (8 Pcs)
- Weight (Approx.) 5.050 kg

VEGA ULTRA 1660 01-10-2-122-1660

- Working Dimensions 1550 x 6000 mm / Z Axis Stroke 300 mm
 4 Working Areas

 - Automatic Lubrication System / Automatic Tool Offset
 - Working Speeds X/Y: 100m/min Z:20m/min
 - 9 kW I 12HP HSK F 63 HSD Spindle Motor
 - HSD Boring Unit 10 Vertical Drill 3x2 Horizontal 1Saw Blade
 - Linear Tool Changer Unit (14 Tool Capacity)
 - Alphacam Core + xPositional (One Post)
 - 140m³/h Becker Vacuum Pump
 - Pro Vacuum Console 100mm Double Piston (10 Pcs) / 6 Pcs with Lift 4 Pcs without Lift
 - Vacuum Blocs 140x115x100mm (20 Pcs) / 125x75x100mm (10 Pcs)
 - Weight (Approx.) 7.250 kg



114.090 €



SPINDLE MOTOR OPTIONS

OPC601001	HSD 7,5 - 9 kW Spindle Motor	STD.
	HSD - 7.5kw (10 HP) in S1, 9kw (12 HP) in S6 operation, maximum 24.000 rpm,HSK F63 conneciton, air cooling system	
OPC601002	HSD 9 - 12 kW Spindle Motor	3.000 €
	HSD - 9kw (12 HP) in S1, 12kw (15 HP) in S6 operation, maximum 24.000 rpm,HSK F63 conneciton, air cooling system	
OPC601008	HSD 7,5 - 9 kW Spindle Motor(Liquid Cooling)	2.250 €
	HSD - 7,5kw (10 HP) in S1, 9kw (12 HP) in S6 operation, maximum 24.000 rpm,HSK F63 conneciton, liquid cooling system *This option requires OPA0504 - Chiller Unit option for liquid cooling system.	
OPC601009	HSD 12 - 14 kW Spindle Motor(Liquid Cooling)	5.280 €
	HSD - 12kw (15 HP) in S1, 14kw (18.75 HP) in S6 operation, maximum 24.000 rpm,HSK F63 conneciton, liquid cooling system *This option requires OPA0504 - Chiller Unit option for liquid cooling system.	
OPC601007	5,5kW Side Milling Motor	6.450 €
	ELTE - 5,5kw (7.5 HP) side milling motor, double tool output maximum 18.000 rpm,ER32 conneciton, air cooling system	






CAXIS & AGGREGATE OPTIONS


OPC601003	C Axis - 4th Axis Option	6.775 €
	HSD - C Axis unit is an additional unit that is integrated with a spindle motor. The unit is used for automatic rotation of aggregate tools. Axis movements occur in the range of 0 - 360°.	
O. J.	* This option requires minimum OPA079 – Alphacam xPositional Option and suitable aggregate unit.	
OPA0300	HSD Door Processing Aggregate (H630229500)	3.000 €
	HSD Door Processing Aggregate ; ER32 connection, rotation speed 17.100rpm, HSK F63 connection, tool shaft diameter 2 ÷ 20 mm, max tool diameter 20mm, weight 4,3kg	
OPA0301	HSD 0-90° Angular Aggregate (B6314B0031)	3.255 €
	HSD Angular Aggregate ; ER25 connection + 1 blade output, rotation speed 8-15.000rpm, HSK F63 connection, tool shaft diameter Ø1 ÷ Ø16 mm, max. tool diameter 16mm, max. saw diameter 180mm, working depth 50mm, weight 4,3kg *This option requires OPM601003 - C Axis - 4th Axis option working properly, still can be used only X Axis direction without C Axis Unit.	
OPA0303	HSD Floating Aggregate (B6314B0022)	8.450 €
	HSD Floating Aggregate ; ER32 connection + 1 blade output, rotation speed 18.000rpm, HSK F63 connection, tool shaft diameter Ø2 ÷ Ø20 mm, weight 9,2kg	

*This option requires OPM601003 - C Axis - 4th Axis option.






BORING UNIT OPTIONS



horizontal drills, 2 saw blade – 120mm on X axis and Y axis direction, max. 7.500rpm for saw blade, tool connection Ø10, 32mm drill center distances, air cooling system






MAGAZINE UNIT OPTIONS

OPC601200	Rotary Tool Changer Unit (8 Tools Capacity)	4.990 €
	8 Tools Capacit y, max. tool capacity120mm(full equipment), max. tool capacity 165mm(in idle use), 150mm max. tool length, 7kg max. tool weight. Unit is located right side of the bridge, tool check sensor	
OPC601201	Rotary Tool Changer Unit (12 Tools Capacity)	7.200 €
	12 Tools Capacit y, max. tool capacity 100mm(full equipment), max. tool capacity 125mm(in idle use), 150mm max. tool length, 7kg max. tool weight. Unit is located right side of the bridge, tool check sensor	
OPC601204	Rotary Tool Changer Unit (16 Tools Capacity)	9.400 €
	16 Tools Capacit y, max. tool capacity 100mm(full equipment), max. tool capacity 125mm(in idle use), 150mm max. tool length, 7kg max. tool weight. Unit is located right side of the bridge, tool check sensor	
OPC601202	Linear Tool Changer Unit (8 Tool Capacity)	2.770 €
	8 Tools Capacit y, max. tool capacity 100mm(full equipment), max. tool capacity 125mm(in idle use), 150mm max. tool length, 7kg max. tool weight. Unit is located right side of the bridge, tool check sensor	
OPC601203	Linear Tool Changer Unit (14 Tool Capacity)	2.920 €
	14 Tools Capacit y, max. tool capacity 100mm(full equipment), max. tool capacity 125mm(in idle use), 150mm max. tool length, 7kg max. tool weight. Unit is located right side of the bridge, tool check sensor	





VACUUM SYSTEM OPTIONS

OPC601300	Becker 100m ³ /h Vacuum Pump	3.625 €
	Dry type 100m³/h I 4.8 HP power , air cooling, max. vacuum 98m³/h at 100mbar – 50Hz /112m³/h at 200mbar – 60Hz	
OPC601302	Becker 140m³/h Vacuum Pump	5.290 €
	Dry type 140m³/h I 5.4 HP power , air cooling, max. vacuum 129m³/h at 100mbar – 50Hz /154m³/h at 200mbar – 60Hz	
OPC601304	Becker 250m³/h Vacuum Pump	7.375 €
	Dry type 250m³/h I 8.9 HP power , air cooling, max. vacuum 244m³/h at 100mbar – 50Hz /286m³/h at 200mbar – 60Hz	
OPC601308	Becker 300m³/h Vacuum Pump(Claw Type)	9.930 €
ALC)	Dry type 300m³/h I 10 HP power, air cooling, max. vacuum 275m³/h at 150mbar – 50Hz / 325m³/h at 150mbar – 60Hz, heating prevention system, silent working capacity, claw vane technology	
OPC601306	Additional Vacuum Pump Connection	475 €
	This option present for prepare additional vacuum pump outlet, if you order additional vacuum pump this price is include the price of vacuum pump, if you order only outlet this cost has to add price	





OPA0250	Vacuum Console - 50mm(Single Piston) - Without Lift	2.780 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Single Block Height: 50mm Vacuum Bloc 140x115x50mm (2 PCS) Vacuum Bloc 125x75x50mm (1 PC)	
OPA0251	Vacuum Console - 50mm(Single Piston) - With Lift	3.100 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Single Block Height: 50mm Piece lifting unit Vacuum Bloc 140x115x50mm (2 PCS) Vacuum Bloc 125x75x50mm (1 PC)	
OPA0252	Vacuum Console - 85mm(Single Piston) - Without Lift	3.110 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Single Block Height: 85mm Vacuum Bloc 140x115x85mm (2 PCS) Vacuum Bloc 125x75x85mm (1 PC)	
OPA0253	Vacuum Console - 85mm(Single Piston) - With Lift	3.425 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Single Block Height: 85mm Piece lifting unit Vacuum Bloc 140x115x85mm (2 PCS) Vacuum Bloc 125x75x85mm (1 PC)	
OPA0260	Pro Vacuum Console - 100mm(Single Piston) - Without Lift	3.340 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Dual Circuit Connection Piston Type: Single Block Height: 100mm Vacuum Bloc 140x115x100mm (2 PCS) Vacuum Bloc 125x75x100mm (1 PC)	





OPA0261	Pro Vacuum Console - 100mm(Single Piston) - With Lift	3.655 €
	With this option you could add more consoles on your machine. Dimension : 1300mm Type : Dual Circuit Connection Piston Type : Single Block Height : 100mm Piece lifting unit Vacuum Bloc 140x115x100mm (2 PCS) Vacuum Bloc 125x75x100mm (1 PC)	
OPA0254	Vacuum Console - 50mm(Double Piston) - Without Lift	3.730 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Double Block Height: 50mm Vacuum Bloc 140x115x50mm (2 PCS) Vacuum Bloc 125x75x50mm (1 PC)	
OPA0255	Vacuum Console - 50mm(Double Piston) - WithLift	4.050 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Single Circuit Connection Piston Type: Double Block Height: 50mm Piece lifting unit Vacuum Bloc 140x115x50mm (2 PCS) Vacuum Bloc 125x75x50mm (1 PC)	
OPA0256	Vacuum Console - 85mm(Double Piston) - Without Lift	4.055 €
	With this option you could add more consoles on your machine. Dimension : 1300mm Type : Single Circuit Connection Piston Type : Double Block Height : 85mm Vacuum Bloc 140x115x85mm (2 PCS) Vacuum Bloc 125x75x85mm (1 PC)	
OPA0257	Vacuum Console - 85mm(Double Piston) - With Lift	4.370 €
	With this option you could add more consoles on your machine. Dimension : 1300mm Type : Single Circuit Connection Piston Type : Double Block Height : 85mm Piece lifting unit Vacuum Bloc 140x115x85mm (2 PCS) Vacuum Bloc 125x75x85mm (1 PC)	





OPA0262	Pro Vacuum Console - 100mm(Double Piston) - Without Lift	4.290 €
	With this option you could add more consoles on your machine.	
	Dimension: 1300mm Type: Dual Circuit Connection	
	Piston Type: Double Block Height: 100mm	
	Vacuum Bloc 140x115x100mm (2 PCS)	
	Vacuum Bloc 125x75x100mm (1 PC)	
0040007	Dra Varanum Canada 100mm/Daulala Distan) With Lift	1 600 6
OPA0263	Pro Vacuum Console - 100mm(Double Piston) - With Lift	4.600 €
	With this option you could add more consoles on your machine.	
	Dimension : 1300mm Type : Dual Circuit Connection	
	Piston Type: Double Block Height: 100mm	
	Piece lifting unit	
	Vacuum Bloc 140x115x100mm (2 PCS) Vacuum Bloc 125x75x100mm (1 PC)	
OPA0258	Pro Vacuum Console - 100mm(Double Piston) - Without Lift	4.150 €
	With this option you could add more consoles on your machine.	
	Dimension: 1550mm	
	Type: Double Circuit Connection Piston Type: Double	
	Block Height: 100mm Vacuum Bloc 140x115x100mm (2 PCS)	
	Vacuum Bloc 125x75x100mm (1 PC)	
OPA0257	Pro Vacuum Console - 100mm(Double Piston) - With Lift	4.460 €
	With this option you could add more consoles on your machine.	
	Dimension: 1550mm	
	Type: Double Circuit Connection Piston Type: Double	
	Block Height: 100mm Piece lifting unit	
	Vacuum Bloc 140x115x100mm (2 PCS)	
	Vacuum Bloc 125x75x100mm (1 PC)	
OPA0211	Vacuum Block 140x115x50mm	275 €
	Dimension: 140x115 width	
1	Height: 50mm Weight: 0,60kg	
e e	Single circuit connection system	
OPA0212	Vacuum Block 125x75x50mm	310 €
	Dimension: 125x75 width	
	Height: 50mm Weight: 0,60kg	
0 0	Single circuit connection system	




VACUUM SYSTEM OPTIONS

OPA0264	Vacuum Clamp 170x135x50mm	955 €
	Dimension: 170x135 width Height: 50mm Z Height: 9mm Compression Range: 15-85mm Single circuit pneumatic connection system	
OPA0209	Vacuum Block 140x115x85mm	295 €
	Dimension: 140x115 width Height: 85mm Weight: 0,792kg Single circuit connection system	
OPA02010	Vacuum Block 125x75x85mm	310 €
	Dimension: 125x75 width Height: 85mm Weight: 0,722kg Single circuit connection system	
OPA0265	Vacuum Clamp 170x135x85mm	955 €
	Dimension: 170x135 width Height: 85mm Z Height: 9mm Compression Range: 15-85mm Single circuit pneumatic connection system	
OPA0205	Vacuum Block 140x115x100mm	295 €
	Dimension: 140x115 width Height: 100mm Weight: 0,77kg Dual circuit magnetic connection system	
OPA0206	Vacuum Block 125x75x100mm	307 €
	Dimension: 125x75 width Height: 100mm Weight: 0,63kg Dual circuit magnetic connection system	
OPA0266	Vacuum Clamp 170x135x100mm	955 €
	Dimension: 170x135 width Height: 100mm Z Height: 10mm Compression Range: 10-100mm Doublee circuit magnetic connection system	
OPA0203	Vacuum Rubber 140x115x16mm	57 €
6 ° 6 °	Dimension: 66x66 width Height: 8,5mm Weight: 0,8kg	






OPC601005	Hand Wheel Unit	STD.
	The hand wheel is used to control the machine axes outside the control panel in manual mode. Machine axes and working speeds can be controlled via hand wheel.	
OPC601006	OSAI Hand Terminal Unit	1.420 €
A	The handheld terminal is used to control the machine axes outside the control panel in manual mode. Machine operating speeds and parameters can be controlled with the help of the terminal. In addition, with the help of a handheld terminal, general commands can be controlled with the help of tool change, vacuum zone control, dust collection and bellows systems.	
OPC601015	OSAI Hand Terminal Unit (OpenWITP)	3.860 €
	The handheld terminal is used to control the machine axes outside the control panel in manual mode. Machine operating speeds and parameters can be controlled with the help of the terminal. In addition, with the help of a handheld terminal, general commands can be controlled with the help of tool change, vacuum zone control, dust collection and bellows systems. System includes barcode reader and RFID tracking systems.	
OPC601010	Barcode Reader Option	1.420 €
	1D Laser barcode reader, 433Mhz wifi Link connection, 0.1 Resolution, 0 \sim 250mm Reading Distance	
OPC601004	Tool Cooling Unit Option	3.675 €
	The tool cooling unit works with a liquid cooling system. The coolant added to the machine extends the machining quality and tool life by cooling the heated tool with the help of liquid during special material processing operations.	
OPC601011	Manual Laser Pointer Option	620 €
	Laser pointer for exact positioning of vacuum blocs on vacuum console. Its read position from CAD/DATA and show exact position. Laser pointer located on spindle motor.	
OPC601016	LED Light Positional Option	625 €
	Laser pointer for exact positioning of vacuum blocs on vacuum console. Its read position from CAD/DATA and show exact position. LED lights located on machine body and vacuum consoles shows points has to be referenced. *This option requires special software integration. Standard programs can not run	
	the system. Ask for details!	



CONVEYOR UNIT OPTIONS

OPC601600	Conveyor Unit - 2500mm	3.675 €
	The conveyor unit is located inside the machine body and carries dust, chips and small parts composed of during processing to the waste bin outside the work area. The system provides a cleaner workspace.	
OPC601601	Conveyor Unit - 3200mm	4.000 €
	The conveyor unit is located inside the machine body and carries dust, chips and small parts composed of during processing to the waste bin outside the work area. The system provides a cleaner workspace.	
OPC601602	Conveyor Unit - 4500mm	4.620 €
	The conveyor unit is located inside the machine body and carries dust, chips and small parts composed of during processing to the waste bin outside the work area. The system provides a cleaner workspace.	
OPC601603	Conveyor Unit - 6000mm	5.230 €
	The conveyor unit is located inside the machine body and carries dust, chips and small parts composed of during processing to the waste bin outside the work area. The system provides a cleaner workspace.	





WARRANTY & PACKAGING OPTIONS

OPA0604	Warranty Option +1 Year		+%5
	This option is extens warranty period +1 year.		
OPA0012	Installation, Training and Comissioning		500 €/D
	Installation, Training and Comissioning of the machine is carried out by AES Group authorized personnel or by third parties authorized by AES Group. Installation is provided by expert technicians, including all necessary steps.		
OPC601900	Vega Ultra 1325/1625 – Seaway Packaging	7	650 €
	The unit is the transport platform required for loading the machine into the container.		
OPC601901	Vega Ultra 1332/1632 – Seaway Packaging	7	650 €
	The unit is the transport platform required for loading the machine into the container.		
OPC601902	Vega Ultra 1345/1645 – Seaway Packaging		650 €
	The unit is the transport platform required for loading the machine into the container.		
OPC601903	Vega Ultra 1360/1660 – Seaway Packaging	7	650 €
	The unit is the transport platform required for loading the machine into the container.		
OPC601920	Vega Ultra 1325/1625 – Truck Packaging		650 €
	The unit is the transport platform required for loading the machine into the truck.		
			670-0-
OPC601921	Vega Ultra 1332/1632 – Truck Packaging		650 €
	The unit is the transport platform required for loading the machine into the truck.		
OPC601922	Vega Ultra 1345/1645 – Truck Packaging		650 €
	The unit is the transport platform required for loading the machine into the truck.		
OPC601923	Vega Ultra 1360/1660 – Truck Packaging		650 €
	The unit is the transport platform required for loading the machine into the truck.		





OPA0077	Alphacam Core - One Post CAD / CAM Program	2.035 €
OPA0088	Alphacam Core - Multi Post CAD / CAM Program	2.850 €
	ALPHACAM Core is the foundation for your manufacturing needs, offering a wide range of essential functionality for part programming. Core includes the ability for CAD importing, toolpath generation, simulation, report generation, and more. Start with ALPHACAM Core for your essential requirements, and add multipliers to build the CAM solution that meets the unique needs of your business.	
OPA0078	Alphacam Core xNesting Module - One Post	1.025 €
OPA0088	Alphacam Core xNesting Module - Multi Post	1.425 €
	Nested manufacturing is made easy using ALPHACAM's xNesting multiplier. Parts can be selected directly from the screen or as a kit; their orientation fixed, if grain direction needs to be maintained or rotated to any angle. Nesting supports tool lead in/out, support tags for small parts, avoiding loss of table vacuum and multiple depth cuts, if an onion skin is required.	
OPA0079	Alphacam Core xPositional Module - One Post	1.525 €
OPA0089	Alphacam Core xPositional Module - Multi Post	2.135 €
	For manufacturers that have 4/5-axis machinery but don't need the complexity of simultaneous motion toolpaths, the xPositional multiplier is the perfect solutions. By unlocking an additional axis, you will be able to program your machine to cut from any angle.	
OPA0080	Alphacam Core xSimultaneous Module - One Post	3.050 €
OPA0090	Alphacam Core xSimultaneous Module - Multi Post	3.100 €
	Head mounted rotary axes on CNC routers can be programmed at any orienta- tion. Aggregates with a programmable rotary axis and manual tilt are fully support- ed, as well as fully interpolating 5-axis heads. Safe rapid moves between planes are automatically controlled and verified using advanced solid simulation.	
OPA0081	Alphacam Core xSolids Module - One Post	1.025 €
OPA0091	Alphacam Core xSolids Module - Multi Post	1.425 €
	If you are working with solid models, xSolids provides the tools you need to import, prepare, and process your files for manufacture. xSolids handles nearly all types of solid models and assemblies, and gives you the ability to automatically recognize features, extract geometries, and apply toolpaths.	
OPA0082	Alphacam Core xAutomation Module - One Post	1.025 €
OPA0092	Alphacam Core xAutomation Module - Multi Post	1.425 €
	With xAutomation, 2D and 3D CAD files, along with solid models from third party software, can be batch processed - from file preparation right through to applying toolpaths with NC code being generated automatically. In addition, the files create a full report structure, along with labels and bar coding. Using xAutomation can save an end user days and weeks, potentially even months of programming time in a year.	





OPA0083	Alphacam Core xFixtures Module - One Post	510 €
OPA0093	Alphacam Core xFixtures Module - Multi Post	715 €
	If you need to control the placement, position, and movement of your machinery's fixtures and clamps within your CAM system, xFixtures is the multiplier for you. Add fixtures to your drawings with drag and drop ease, utilize robust simulation to visualise the placement and motion of your fixtures and materials, or take advantage of features for automatic pod and rail positioning. xFixtures puts you in control.	
OPA0084	Alphacam Core xConstraints Module - One Post	1.025 €
OPA0094	Alphacam Core xConstraints Module - Multi Post	1.425 €
	Parametric part programming can save you hours of time and eliminate errors by creating rules for how certain part attributes are affected when other attributes change. xConstraints gives you the full set of tools and commands to take full advantage of constraints, allowing you to program smart parts with ease.	
OPA0085	Alphacam Core xAPI Module - One Post	510 €
OPA0095	Alphacam Core xAPI Module - Multi Post	715 €
	ALPHACAM's xAPI multiplier allows you to tap into our powerful CAM engine utilising standard programming languages to extend and customise the way the software functions. Whether you are looking to create applications that streamline your manufacturing operations, or developing unique programs for custom manufac- turing applications, xAPI allows you to take full advantage of the power of ALPHA- CAM.	
OPA0086	Alphacam Core xRobotics Module - One Post	1.025 €
OPA0096	Alphacam Core xRobotics Module - Multi Post	1.425 €
	If you are working with solid models, xSolids provides the tools you need to import, prepare, and process your files for manufacture. xSolids handles nearly all types of solid models and assemblies, and gives you the ability to automatically recognize features, extract geometries, and apply toolpaths.	
OPA0019	Alphacam Network License Module	%25
	This module use for Alphacam license more than single machine at the same time. To use license actively the PC that Alphacam dongle activated and 2nd PC has to work in same network	
OPA0028	Alphacam Aspire Program	4.790 €
	Alphacam Aspire is a special program which is developed for three dimensional carving. It converts all types of 2D design into 3D designs and it enables machining by converting the photos into 3D dimensions.	





OPA0009	Alphacam Cabinet Door Manufacturing(CDM)	4.990 €
	Alphacam Cabinet Door Manufacturing (CDM) is an innovative panel door program for Alphacam. It enables door manufacturers to take full advantage of Alphacam, the comprehensive and fully-featured CAD/CAM system for use with Microsoft Windows platforms.CDM also has an order-entry facility which provides information for built in, fully-customizable bar coding and part-labeling functions *This option requires OPA077 – Alphacam Core – One Post or upper level program, if necessary xPositional or another modules has to be added.	
OPA0074	Alphacam Labelling Package OPA00029	2.200 €
	Package is the subpackage of the Alphacam program used to print labels. Label- ling program allows the CNC operator to produce labels for parts on the program and print them with the help of a screen and printer. This program offers an ideal solution for nesting-based production.Package is a sub-package of the Alphacam used to generate cutting data for CNC Routers, CNC Machining Centers and CNC Drilling Machines. *This option requires OPA077 – Alphacam Core – One Post or upper level program.	
OPA0015	AES Windoor Macro Door Program	1.980 €
OPA0015	AES Windoor Macro Door Program AES Windoor program is a parametric macro door program which is working integrated with Alphacam software. Ready macro designs inside of the program processing directly after change dimensions.	1.980 €
OPA0015	AES Windoor Macro Door Program AES Windoor program is a parametric macro door program which is working integrated with Alphacam software. Ready macro designs inside of the program	1.980 €
OPA0015 OPA0016	AES Windoor Macro Door Program AES Windoor program is a parametric macro door program which is working integrated with Alphacam software. Ready macro designs inside of the program processing directly after change dimensions. *This option requires OPA077 – Alphacam Core – One Post + OPA079 - xPositonal	1.980 € 1.980 €
	AES Windoor Macro Door Program AES Windoor program is a parametric macro door program which is working integrated with Alphacam software. Ready macro designs inside of the program processing directly after change dimensions. *This option requires OPA077 – Alphacam Core – One Post + OPA079 - xPositonal modules or upper level programs.	





OPA0017	AES Drill Macro Program		1.980 €
	AES Drill program is a parametric macro drilling program which is working integrat- ed with Alphacam software. It can create drilling applications from ready macros within program.		
	*This option requires OPA077 – Alphacam Core – One Post or upper level program.		
OPA0020	AES Post Processor (2 Axis)		1.750 €
	This option is use for if customer already has an Alphacam/CV license and would like to use this license with AES machines. Cost of post processor only for single machine. If program would like to buy seperately, Alphacam program cost include the machine price reduced and this cost added.		
OPA0029	AES Post Processor (3 Axis)		2.850 €
	This option is use for if customer already has an Alphacam/CV license and would like to use this license with AES machines. Cost of post processor only for single machine. If program would like to buy seperately, Alphacam program cost include the		
	machine price reduced and this cost added.		
OPA0030	AES Post Processor (5 Axis)		8.350 €
017/0000	This option is use for if customer already has an Alphacam/CV license and would		
	like to use this license with AES machines. Cost of post processor only for single machine. If program would like to buy seperately, Alphacam program cost include the machine price reduced and this cost added.		
OPA0025	Cabinet Vision Labelling Package(CNC Routers)		8.535 €
	Cabinet Vision Core Cabinets Cabinet Vision Core Cabinet xMachining Module (S2M Center) Cabinet Vision Core Cabinet xMachining Module Labelling Package Cabinet Vision Core Cabinet xMachining Module CNC Router Package	3.060 € 2.470 € 1.770 € 1.235 €	
OPA0036	CV Core Cabinets		3.060 €
	Cabinet Vision Core Cabinets is a design and production software that allows you to design your kitchen cabinet or cabinet modules in detail. Core Cabinets automatically creates project drawings, 3D renderings, material requirements, cut lists and forecast data. Sketch your project graphically, complete your drawings and quickly analyze your costs. Prepare or change your designs in a short time thanks to its parametric structure. Save your designs in your library.		
OPA0037	CV Core Closets		2.530 €
	CaCabinet Vision Core Closets is a design and production software that allows you to design your kitchen cabinet or cabinet modules in detail. Core Closets automati- cally creates project drawings, 3D renderings, material requirements, cut lists and forecast data. Sketch your project graphically, complete your drawings and quick- ly analyze your costs. Prepare or change your designs in a short time thanks to its parametric structure. Save your designs in your library.		





OPA0038	CV Core xCAD Module	1.765 €
	Cabinet Vision x2D CAD module is a module used for 2D CAD submission and shop drawings for architectural solutions. The x2D CAD module has a streamlined structure to send annotated drawings to architects or related subcontractors for design purposes. x2D CAD offers additional tools and services that can automati- cally receive updates from the live drawing.	
OPA0039	CV Core xCAD Module Plugs in Package	530 €
	Cabinet Vision Core Closets is a design and production software that The plug-ins package is a customized software package for commercial manufacturers to more easily solve delivery drawing difficulties. With this plug-in, more detailed optimizations can be performed with less data entry. It also allows you to make smart object and assembly optimization in cabinet production without the need for advanced settings via Cabinet Vision. The plug-in works as an add-on package for the x2D CAD module. It works together with this module.	
OPA0040	CV Core xBidding Module	1.235 €
	Cabinet Vision xBidding Module allows you to make detailed offer analysis at costing and bidding stages. With the help of the module, project costing is done in the most accurate way, and full control over costs is achieved with profitability analysis. A full cost analysis can be made with labor, material and additional expense definitions. It works with automatic corrections instead of getting costs from scratch in project changes with smart pricing methods. The module is offered as an advanced and customized version of the standard bidding feature in the Core package.	
OPA0041	CV Core xBidding Module Catalog Editor Package	530 €
	The plug-in allows CV users to create their own custom modular catalog. Predefined settings can be transferred in the modular catalog. It allows the creation of a distributable catalog by transferring details such as materials, plans, cabinets and drawers, profiles, connection methods and part pricing in the catalog. It protects your design data by preventing the created catalog from being changed and copied after distribution. This package works as a plug-in to the bidding module.	
OPA0042	CV Core xBench Module	1.235 €
	With the help of the module, bench production can also be carried out as an uninterrupted production integrated with cabinet and kitchen production. The module works fully integrated with the CV Core structure, allowing you to create	

uninterrupted production integrated with cabinet and kitchen production. The module works fully integrated with the CV Core structure, allowing you to create projects in full compliance with the connection structure used in cabinets and drawers. The machine module calculates the cut lists for the machines, automatically updates the settings required to transfer design changes to production, and makes it easy to apply pull bolt, alignment holes and other operations on the machine. Provides general control over the cost of all structures.





OPA0043	CV Core xCRM Module	1.235 €
	It is a customer relations module where xCRM Cabinet Vision can manage custom- er, dealer and supplier relations. The module allows easy management of projects according to customers by creating customer lists. The module creates a central management system by matching the project with the customer. It has an easy-to-use and understandable interface for timely and complete delivery of projects.	
OPA0044	CV Core xOptimization Module	705 €
	The xOptimization module allows you to make optimum use of material by automatically optimizing panel sizing machines. The system also allows manual cutting optimization. CV integration and saw attachment allow cutting lists to be sent directly to the panel sizing machine as a work list. The module plotter can also be sent manually to the lying circle.	
OPA0045	CV Core xRender Module	705 €
	The xRender module is an additional module of the CV Core system used to prepare high-level presentations for customers by preparing realistic renderings. Thanks to the latest technology, it allows you to prepare renders that you can present to your customers within minutes. With realistic renderings, the finished project can be viewed in the most accurate way.	
OPA0046	CV Core xRender Module Tour Package	530 €
	With this feature, which is an additional package of the CV Core + Render module, the real-time rendered project can be navigated to make a presentation to the customer. Project details can be shown to the client as real-time rendering.	
OPA0047	CV Core xReporting Module	1.770 €
	xReporting section allows you to get detailed reports for your projects with more than 150 ready-made reporting systems and customizable reporting editor. Thanks to the module, it can get reports on different parameters with a single click. Working integrated with Cabinet Vision, the module automatically tracks updates and allows instant reporting.	
OPA0048	CV Core xShaping Module	1.770 €
	xShaping module is used to design special shaped cuts such as corner cuts, notch trimming, finger notch etc. Not all parts in designs include straight cuts, in some cases it requires angled cuts to have irregular shapes in the design. The module allows to easily design these shapes parametrically. The module also provides easy access to the CAM editor to add workpieces such as plumbing holes etc.	



OPA0049	CV Core xMachining(S2M) Module	2.470 €
	xMachining module is a CAM module that allows designs to be converted into G codes and prepared for machining. It enables integrated production by sending a single design to different types of machines. It is a very advanced and flexible software that can prepare cutting data in a wide range of frames such as Module CNC Machining Center, CNC Router, CNC Drilling Machine, edge banding machine, beam saw machines, plotter and manual drilling machine. The module brings advanced features such as custom tool path assignment, tool path optimization.	
OPA0050	CV Core xMachining(S2M) Module 3rd Party CAD Package	1.235 €
	The package is an additional package of the xMachining module that enables cutting lists from 3rd party CAD software and DXF files. It is used in cases where data transfer from a different program is required in designs.	
OPA0051	CV Core xMachining(S2M) Module 3rd Party CAM Package	1.235 €
	The package is an additional package of the xMachining module that allows to output the cut list as DXF file for use in 3rd party CAM software. It is used in cases where data transfer to different programs is required in designs.	
OPA0052	CV Core xMachining(S2M) Module Sliding Table Package	1. 235 €
	Package is an additional package of the xMachining module used to create cutting lists for sliding table and other types of machines used for manual cutting.	
OPA0053	CV Core xMachining(S2M) Module Drill and Dowel Package	3.530 €
	Package is an additional package of the xMachining module for creating cut lists on manual drilling machine and dowel machines.	
OPA0054	CV Core xMachining(S2M) Module Labelling Package	1.770 €
	Package is the subpackage of the xMachining module used to print labels. Label IT technology allows the CNC operator to produce labels for parts on the program and print them with the help of a screen and printer. This program offers an ideal solution for nesting-based production.	
OPA0055	CV Core xMachining(S2M) Module Material Handling Package	3.530 €
	xPackage is a sub-package that provides the data flow required for the xMachin- ing module to work integrated with automatic storage systems. It provides integra- tion in the processing of the material from the storage system.	
OPA0056	CV Core xMachining(S2M) Module PTP and Boring Mac.Pack.	1.235 €
	xMachining module is a CAM module that allows designs to be Package is a sub-package of the xMachining module used to generate cutting data for Point to Point(Console Table) machines and Boring machines.	





OPA0057	CV Core xMachining(S2M) Module CNC Router Package	1.235 €
017(0007		1.255 6
	Package is a sub-package of the xMachining module used to generate cutting data for CNC Routers.	
OPA0058	CV Core xMachining(S2M) Module Beam Saw Package	1.235 €
	Package is a sub-package of the xMachining module used to generate cutting data for Peam Saw machines.	
OPA0059	CV Core xMachining(S2M) Module Parts List Export Package	1. 235 €
	Package is a subpackage for the xMachining module to output as a cut file, custom cut file or PNL.	
OPA0060	CV Core xMachining(S2M) Module Simulation Package	705 €
	Package is a sub module of the xMachining module that shows the cutting simula- tion of the parts to be cut. With the simulation feature, you can see the errors and minimize the time and material losses.	
OPA0061	CV Core xMachining(S2M) Module Special Machine Package	1.235 €
	Package is a sub-package of the xMachining module used to generate cutting data for special machines. es.	





SAFETY SYSTEM OPTIONS

OPA0100	Safety Mats (4 Pcs)	3.460 €
	1x1,5mt dimensions(4 Pcs), adoptable maximum power 60 kg/cm², IP65 Protection degree, 10mm maximum thickness	
OPA0101	Safety Mats (5 Pcs)	4.325 €
	1x1,5mt dimensions(5 Pcs) , adoptable maximum power 60 kg/cm ² , IP65 Protection degree, 10mm maximum thickness	
OPA0103	Safety Mats (6 Pcs)	5.190 €
	1x1,5mt dimensions(6 Pcs), adoptable maximum power 60 kg/cm ² , IP65 Protection degree, 10mm maximum thickness	
OPA0102	Safety Lights (Set)	1.950 €
	Safety lights set; absorbing 0.4 mA maximum, activation time >30ms, protection degree IP65	
OPA0104	Safety Fence	155 €
	Safety Fence - 1000x1750mm dimensions per piece, thickness 4mm	
OPA0106	Bumper System	4.100 €
	The system provides maximum operator safety by preventing unauthorized access to the machine work area. The unit is used instead of light barrier or safety mats to gain working space. With this option, machine operating speeds are reduced to 25m / min according to CE regulations. When used with the light barrier or safety mat options, the machine can be operated at its original speed, instead of its current speed of 25m / min.	
OPA0108	Safety Area Scanner System	6.200 €
	The system provides maximum operator safety by preventing unauthorized access to the machine work area. The system protects the area by area scanner laser device.	



OTHER ACCESSORIES

OPA0500	30kva UPS Unit	4.640 €
	30kva UPS power , auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m	
OPA0501	40kva UPS Unit	5.870 €
	40kva UPS power , auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m	
OPA0502	60kva UPS Unit	11.260 €
	60kva UPS power , auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m	
OPA0503	80kva UPS Unit	13.230 €
	80kva UPS power , auto soft start, short circuit and overload protection - %125 load 10min., %150 load 1m	
OPA0521	30kva Regulator Unit	1.385 €
	30kva servo regulator , output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC	
OPA0522	45kva Regulator Unit	1.850 €
	45kva servo regulator , output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC	
OPA0523	60kva Regulator Unit	2.470 €
	60kva servo regulator , output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC	
OPA0526	80kva Regulator Unit	3.280 €
	80kva servo regulator , output voltage tolerance < %1,5, regulation of speed ratio 90v/sec., input voltage pitch, 275/450VAC 3F+N, 242/415 VAC, 208/415VAC	





OTHER ACCESSORIES

OPA0508	30kva Transformer (380-220VAC)		655 €
	30kva transforme r, 220/60HZ/ 380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0509	30kva Transformer (380-400/415VAC)		€80 €
	30kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type.		
OPA0510	30kva Multitap Transformer (Multitap)		2.570 €
	30kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00,		
	Auto-Open Type		
OPA0511	40kva Transformer (380-220VAC)		710 €
	40kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open		
	Type		
OPA0512	40kva Transformer (380-400/415VAC)		710 €
OFA0312			710 €
	40kva transformer , 415/400/ 380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
0040517			0 202 0
OPA0513	40kva Multitap Transformer (Multitap)		2.785 €
	40kva multitap transformer , N- 208-230-480 VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0514	50kva Transformer (380-220VAC)		790 €
	50kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
	туре		
OPA0515	50kva Transformer (380-400/415VAC)		815 €
	50kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0516	50kva Multitap Transformer (Multitap)	7	3.010 €
	50kva multitap transformer, N-208-230-480VAC, 50/60 HZ, 3PH, DRY, TTY, IP00,		
	Auto-Open Type		
OPA0517	60kva Transformer (380-220VAC)	7	920 €
	60kva transformer, 220/60HZ/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open		
	Туре		
OPA0518	60kva Transformer (380-400/415VAC)		970 €
	60kva transformer, 415/400/380VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		
OPA0519	60kva Multitap Transformer (Multitap)		3.675 €
- OPA0319-			- 3.073 E
	60kva multitap transformer , N- 208-230-480 VAC, 50/60 HZ, 3PH, DRY, TTY, IP00, Auto-Open Type		





OTHER ACCESSORIES

OPA0503	Air Compressor + Dryer (500m³/h)	3.255 €
	500m ³ /h air compressor with dryer, 5,5kW I 7.5 HP motor power.	
OPA0504	Chiller Unit for Liquid Cooling	3.250 €
	This unit has been used for cooling Spindle motor and Boring unit which has liquid cooling options.	
OPC601800	Electrical Panel Cooling Unit	2.060 €
	Electric Panel cooling unit is used to balance the temperature in the machine electrical panel. With the help of the unit, the temperature inside the panel is kept stable and the machine works longer and more efficiently. The unit works with a capacity of 850W	




TOOL KITS & COLLETS & HOLDERS

OPA0702	Furni	nute Applications	s Starter Kit(Leitz)		1.159 €
	33440	Half Drill Bit ; Ø5	; Length 70 ; Left Rotation	2 pcs	32€
5	33441	Half Drill Bit ; Ø5	; Length 70 ; Left Rotation	2 pcs	32 €
	33446	Half Drill Bit ; Ø8	; Length 70 ; Left Rotation	1 pcs	17€
	33447	Half Drill Bit ; Ø8	; Length 70 ; Right Rotation	1 pcs	17€
	33448	Half Drill Bit ; Ø10	; Length 70 ; Left Rotation	1 pcs	19€
1	33449	Half Drill Bit ; Ø10	; Length 70 ; Right Rotation	1 pcs	19€
	34074	Sharp Drill Bit ; Ø5	; Length 70 ; Left Rotation	1 pcs	25 €
	34075	Sharp Drill Bit ; Ø5	; Length 70 ; Right Rotation	1 pcs	25 €
-	34076	Sharp Drill Bit ; Ø8	; Length 70 ; Left Rotation	1 pcs	30 €
-	34077	Sharp Drill Bit ; Ø8	; Length 70 ; Right Rotation	1 pcs	30 €
	34663	Half Drill Bit ; Ø15	; Length 70 ; Left Rotation	1 pcs	50 €
	34664	Half Drill Bit ; Ø15	; Length 70 ; Right Rotation	1 pcs	50 €
	34814	Half Drill Bit ; Ø20	; Length 70 ; Left Rotation	1 pcs	75€
2	34815	Half Drill Bit ; Ø20	; Length 70 ; Right Rotation	1 pcs	75 €
	34816	Half Drill Bit ; Ø25	; Length 70 ; Left Rotation	1 pcs	90 €
	34817	Half Drill Bit ; Ø25	; Length 70 ; Right Rotation	1 pcs	90 €
14	34671	Half Drill Bit ; Ø35	; Length 70 ; Left Rotation	1 pcs	60 €
	34672	Half Drill Bit ; Ø35	; Length 70 ; Right Rotation	1 pcs	60 €
	41961	HM Router ; Ø9 ; Length	70 ; Cut. Length 18 ; Z2 ; For	1 pcs	98 €
	91265	Backboard DIA Router	; Ø12; Length 70 ; Cut. Length 22 ; For Sizing	1 pcs	265 €

OPA0704	Door Applications Kit(Leitz)		1.932 €
	Special HM Helical Router ; Ø16; Length 205 ; Cutting Length 135 ; For Door; Lock Case LR	1 pcs	650 €
	240105 HM Helical Router ; Ø16; Length 170 ; Cutting Length 75 ; For Door; Lock Case	1 pcs	400 €
	39239 Razor Router ; Ø50; Length 125 ; Cutting Length 50 ; Z1+1	1 pcs	500 €
	42278 HM Helical Router ; Ø10; Length 70 ; Cutting Length 25; For Door Hinge Case; Z2, RR	1 pcs	262 €
	37441 Collet 10x40 ; ER32	1 pcs	€06
	37445 Collet 16x40 ; ER32	1 pcs	60€
OPA0707	Chipguard Unit		1.250 €
	Chip guard unit use on routing applications and provide better dust collecting.		

OPA0706	Tools Holders / Collets Kit		
	WF224 HSK F63 ER40 Tool Holder	1 pcs	79,00€
	99942D ER40 Series / ø10mm Collet	1 pcs	12,60 €
2000 C	99944F ER40 Series / ø12mm Collet	1 pcs	12,60 €
	99946H ER40 Series / ø14mm Collet	1 pcs	12,60 €
	99948M ER40 Series / ø16mm Collet	1 pcs	12,60 €
MA (1) (1) (1) (1)	99950P ER40 Series / ø18mm Collet	1 pcs	12,60 €
	99952R ER40 Series / ø20mm Collet	1 pcs	12,60 €





TOOL KITS & COLLETS & HOLDERS

OPA0735

ure Applications Basic Kit(AES by ITA Tools

671 €

751 €

WN1.050.035.070.00R	Half Drill Bit; Ø5;	Length 70;	Right Rotation	2 pcs	16€
WN1.050.035.070.00L	Half Drill Bit; Ø5;	Length 70;	Left Rotation	2 pcs	16€
WN1.080.035.070.00R	Half Drill Bit; Ø8;	Length 70;	Right Rotation	1 pcs	9 €
WN1.080.035.070.00L	Half Drill Bit; Ø8;	Length 70;	Left Rotation	1 pcs	9 €
WN1.100.035.070.00R	Half Drill Bit; Ø10;	Length 70;	Right Rotation	1 pcs	10 €
WN1.100.035.070.00L	Half Drill Bit; Ø10;	Length 70;	Left Rotation	1 pcs	10 €
WP1.050.035.070.00R	Sharp Drill Bit; Ø5;	Length 70;	Right Rotation	1 pcs	12€
WP1.050.035.070.00L	Sharp Drill Bit; Ø5;	Length 70;	Left Rotation	1 pcs	12€
WP1.080.035.070.00R	Sharp Drill Bit; Ø8;	Length 70;	Right Rotation	1 pcs	15€
WP1.080.035.070.00L	Sharp Drill Bit; Ø8;	Length 70;	Left Rotation	1 pcs	15€
WN2.080.027.057.00R	Half Drill Bit; Ø8;	Length 57;	Right Rotation	1 pcs	16€
WN2.080.027.057.00L	Half Drill Bit; Ø8;	Length 57;	Left Rotation	1 pcs	16€
WZ1.150.070.02R	Half Drill Bit; Ø15;	Length 70;	Right Rotation	1 pcs	25 €
WZ1.150.070.02L	Half Drill Bit; Ø15;	Length 70;	Left Rotation	1 pcs	25 €
WZ1.200.070.02R	Half Drill Bit; Ø20;	Length 70;	Right Rotation	1 pcs	35 €
WZ1.200.070.02L	Half Drill Bit; Ø20;	Length 70;	Left Rotation	1 pcs	35 €
WZ1.250.070.02R	Half Drill Bit; Ø25;	Length 70;	Right Rotation	1 pcs	45 €
WZ1.250.070.02L	Half Drill Bit; Ø25;	Length 70;	Left Rotation	1 pcs	45 €
WZ1.350.070.02R	Half Drill Bit; Ø35;	Length 70;	Right Rotation	1 pcs	30 €
WZ1.350.070.02L	Half Drill Bit; Ø35;	Length 70;	Left Rotation	1 pcs	30 €
912.09.018.070.10R	HM Router; Ø9;	Length 70;	Cut. Length 18; Z2; For Backboard	1 pcs	65€
DTA.12.025.12.0SSRA	HM Router; Ø12;	Length 70;	Cut. Length 22; For Sizing ; Z1+1	1 pcs	85 €
PDA.120035030.002	Saw Blade for CNC	HM:120×	:4x35; WZ/FZ; Z35	1 pcs	95€

OPA0736

e Applications Advanced Kit(AES by ITA Tools)

WN1.050.035.070.00R	Half Drill Bit; Ø5;	Length 70;	Right Rotation	2 pcs	16€
WN1.050.035.070.00L	Half Drill Bit; Ø5 ;	Length 70;	Left Rotation	2 pcs	16€
WN1.080.035.070.00R	Half Drill Bit; Ø8 ;	Length 70;	Right Rotation	1 pcs	9 €
WN1.080.035.070.00L	Half Drill Bit; Ø8 ;	Length 70;	Left Rotation	1 pcs	9 €
WN1.100.035.070.00R	Half Drill Bit; Ø10;	Length 70;	Right Rotation	1 pcs	10 €
WN1.100.035.070.00L	Half Drill Bit; Ø10;	Length 70;	Left Rotation	1 pcs	10 €
WP1.050.035.070.00R	Sharp Drill Bit; Ø5;	Length 70;	Right Rotation	1 pcs	12€
WP1.050.035.070.00L	Sharp Drill Bit; Ø5;	Length 70;	Left Rotation	1 pcs	12€
WP1.080.035.070.00R	Sharp Drill Bit; Ø8;	Length 70;	Right Rotation	1 pcs	15€
WP1.080.035.070.00L	Sharp Drill Bit; Ø8;	Length 70;	Left Rotation	1 pcs	15€
WN2.080.027.057.00R	Half Drill Bit; Ø8;	Length 57;	Right Rotation	1 pcs	16€
WN2.080.027.057.00L	Half Drill Bit; Ø8;	Length 57;	Left Rotation	1 pcs	16€
WZ1.150.070.02R	Half Drill Bit; Ø15;	Length 70;	Right Rotation	1 pcs	25 €
WZ1.150.070.02L	Half Drill Bit; Ø15;	Length 70;	Left Rotation	1 pcs	25 €
WZ1.200.070.02R	Half Drill Bit; Ø20;	Length 70;	Right Rotation	1 pcs	35€
WZ1.200.070.02L	Half Drill Bit; Ø20;	Length 70;	Left Rotation	1 pcs	35 €
WZ1.250.070.02R	Half Drill Bit; Ø25;	Length 70;	Right Rotation	1 pcs	45 €
WZ1.250.070.02L	Half Drill Bit; Ø25;	Length 70;	Left Rotation	1 pcs	45 €
WZ1.350.070.02R	Half Drill Bit; Ø35;	Length 70;	Right Rotation	1 pcs	30 €
WZ1.350.070.02L	Half Drill Bit; Ø35;	Length 70;	Left Rotation	1 pcs	30 €
912.09.018.070.10R	HM Router; Ø9;	Length 70;	Cut. Length 18; Z2; For Backboard	1 pcs	65€
DTA.12.025.12.0SSRA	DIA Router; Ø12;	Length 70;	Cut. Length 22; For Sizing; Z1+1	1 pcs	165€
PDA.120035030.002	Saw Blade for CNC	HM:120>	<4x35; WZ/FZ; Z35	1 pcs	95€

